

Table S1 Scale of damage by rice blast (IRRI 1996)

Score	Description	
	Leaf blast	Neck blast
0	No symptoms	No symptoms
1	Only a few small lesions, diseased leaf area (DLA) less than 1% of leaf area	Lesions on pedicels and branches
3	Numerous small or a few big lesions, DLA between 1% and 5% of leaf area	Lesions on branches and panicle axis
5	Numerous big lesions, DLA between 5% and 10% of leaf area	Lesions partially surrounding base of panicle
7	Numerous big lesions, DLA between 10% and 50% of leaf area	Lesions completely surrounding base of panicle, with greater than 30% of grains filled
9	DLA more than 50% of leaf area	Lesions completely surrounding base of panicle, with fewer than 30% of grains filled

Table S2 Scale of damage by rice sheath blight (IRRI 1996)

Score	Description
0	No symptoms
1	One lesion on leaf sheath, diseased area less than 1/4 of sheath area
3	Two to three lesions on leaf sheath, diseased area less than 1/2 of sheath area
5	Four to five lesions on leaf sheath, diseased area over 1/2 of sheath area; or lesions on the lowest leaf blade
7	Diseased area over 3/4 of sheath area, or lesions on the upper leaf blades or flag leaf or the leaf second to the flag leaf
9	Lesions on most of the upper leaves, or plant death