

Appendix C

Oligonucleotide primers used to amplify candidate reference genes in *Adelphocoris suturalis*¹⁾

Gene	Forward primers (5'-3')	Reverse primers (5'-3')	T _m (°C)	Product length (bp)
<i>GAPDH</i>	GAAGGTTGCTCGAACTGGG	GAGCAACAGCAGGCAAGGATT	58	1083
<i>ACT</i>	TCTGTGCTCTGTTGCTCTGTGG	ACATGGGGCGCCACTACAAG	60	1583
<i>βACT</i>	GAAAGGAGTCAGCAAACAGCGGC	GCATCCAGCGACACGAAGCTAATGT	60	1308
<i>TBP</i>	CACGGACCGCAATCAACTGTG	TCCCTCAGGGCTCCAACGAAT	60	1019
<i>SDH</i>	CCTGGGCGGCGATTTGTTGA	TGCGAAGTACGCCTGAGGTA	60	2096
<i>βTUB</i>	GAACTCGACACGGCCACAAC	GGGGGAGGAAGGGGGTTGTTT	60	1467
<i>EF1γ</i>	AAGATGGCGTCCGGTACCCT	TGGTTGGCTCCTCTTCACTTG	60	1289
<i>EF1α</i>	TTTCTGCCGTGGCACTTGGA	CGGTTGGAGCAACCACTTGGA	60	1545
<i>EF1δ</i>	ACGTGTCTACGCATTGCTGG	TGCTTCTTGGTGCGGTGAGA	60	977
<i>RPL32</i>	GGTTGAGCGTGGTTCCGTATTC	CGTTTATTCGTTCTCCTCTGTCCTGA	58	451
<i>RPS15</i>	ATATCGCTATGGCCGAAGCTGATG	GTTTTACTTGAGAGGAATGAACCTGG	58	455
<i>RPL27</i>	TCCTGAGCACGTTGTCGCT	CAAGATTATGCTGTCAGGACACAAC	58	488

¹⁾T_m, Melting temperature.